



REF **EU-15703-HPSKM**  
(IPNXXXXXX)

**ARROW**

**7 Fr. 3 Lumen 20 cm catheter length .032 inch dia. spring-wire guide**

# Pressure Injectable Three-Lumen CVC

**Contents:**

- 1: Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm, Pressure Injectable
- 1: Spring-Wire Guide, Nitinol, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow® GlideWheel™ Wire Advancer with ECG Mark
- 1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW
- 1: Injection Needle: Eclipse™<sup>1</sup> 25 Ga. x 1" (2.54 cm)
- 1: Pressure Transduction Probe
- 1: Filter Needle: 18 Ga. TW x 1-1/2" (3.81 cm) with Blunt Fill Tip
- 1: Syringe: 3 mL Luer-Lock
- 1: Syringe: 10 ml Luer-Slip
- 1: Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL
- 1: Tissue Dilator: 8 Fr. (2.7 mm) x 9 cm
- 3: Dust Cap: Non-Vented
- 1: SecondSite™ Adjustable Hub: Fastener
- 1: SecondSite™ Adjustable Hub: Catheter Clamp
- 1: SharpsAway® II Locking Disposal Cup
- 1: Maximal Barrier Drape: 55" x 94-1/2" (140 cm x 240 cm) with 4" (10 cm) fenestration, with adhesive and covered perforation
- 1: Towel
- 1: Safety Scalpel: #11
- 3: Prep Sponge Swab
- 10: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Dressing: Tegaderm®<sup>2</sup> I.V. Advanced 3-1/4" x 4-1/2" (8.5 cm x 11.5 cm)
- 1: Dressing: GRIP-LOK®<sup>3</sup> Catheter Fixation Device
- 1: Surgical Apparel: Cap
- 1: Surgical Apparel: Impervious Gown
- 1: Surgical Apparel: Mask with Shield
- 1: Transducer Cover: 4-12/16" x 95" (12 cm x 244 cm)
- 1: Tray: Prep


<sup>1</sup>A trademark of Becton, Dickinson and Company.  
<sup>2</sup>A registered trademark of 3M Company.  
<sup>3</sup>A registered trademark of TIDI.  
**All components are CE 2797 unless otherwise noted.**

**Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. [www.teleflex.com/IFU](http://www.teleflex.com/IFU)**  
**Not made with natural rubber latex.**  
Fluid path components are non-pyrogenic.



Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	MAX Pressure Injection Flow Rate** (mL/sec)
Distal (16 Ga.)	0.47	2656	10
Medial (18 Ga.)	0.40	1245	5
Proximal (18 Ga.)	0.42	1328	5

\* Priming volumes are approximate and are done without accessories.  
† Flow rate values are approximate and are determined using deionized water at 100 cm head height.  
\*\* Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 152 cm administration set tubing.



(01)XXXXXXXXXXXXXXXX  
(17)YYMMDD  
(11)YYMMDD  
(10)Lot Number

EU Authorized Representative and Importer:

Teleflex Medical  
IDA Business and Technology Park  
Dublin Road, Athlone  
2797 Co. Westmeath, Ireland

All components are CE 2797 unless otherwise noted.

Arrow International LLC  
Subsidiary of Teleflex Incorporated  
3015 Carrington Mill Blvd.  
Morrisville, NC 27560 USA

Product of xxx  
Packaged in xxx

**Teleflex**  
[www.teleflex.com](http://www.teleflex.com)

LBL075157 R01 (2026-01)

ARROW REF **EU-15703-HPSKM**  
LOT Lot Number (IPNXXXXXX)  
YYY-MM-DD YYY-MM-DD

ARROW REF **EU-15703-HPSKM**  
LOT Lot Number (IPNXXXXXX)  
YYY-MM-DD YYY-MM-DD