**ARRC** 





(IPNXXXXXX)

6 cm catheter length

## Two-Lumen CVC

Two-Lumen Catheter: 8 Fr. (2.8 mm OD) x 16 cm Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer

Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle

Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW

Syringe: 5 mL Luer-Slip Tissue Dilator: 9 Fr. (3.0 mm) x 10.2 cm

Dust Cap: Non-Vented
SecondSite™ Adjustable Hub: Fastener
SecondSite™ Adjustable Hub: Catheter Clamp

All components are CE 2797 unless otherwise noted.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU

California Prop. 65

▲ WARNING: Cancer and Reproductive Harm.

www.P65Warnings.ca.gov

Not made with natural rubber latex.

Fluid path components are non-pyrogenic.





















| Lumen  | Priming<br>Volume*<br>(mL) | Gravity<br>Flow<br>Rate†<br>(mL/hr) |  |
|--|----------------------------|-------------------------------------|--|
| Distal (14 Ga.)<br>Proximal (14 Ga.)                               | 0.66<br>0.71               | 5279<br>4764                        |  |
| * Priming volumes are approximate and are done without accessories |                            |                                     |  |

<sup>†</sup> Flow rate values are approximate and are determined using deionized water at 100 cm head



EU Authorized Representative and Importer:





IDA Business and Technology Park Dublin Road, Athlone 2797 Co. Westmeath, Ireland

All components are CE 2797 unless otherwise noted.

Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA

Product of xxx Packaged in xxx







(01)XXXXXXXXXXXXXXX (17)YYMMDD (11)YYMMDD (10)Lot Number

1feleflex® www.teleflex.com

LBL076567 R00 (2025-07)



16 cm catheter length

.032 inch dia. spring-wire guide





REF CS-12802

ARROM