

REF CS-12122-E (IPNXXXXXXX)





12 Fr. 2 Lumen 16 catheter length length 9 spring-wire guide

Two-Lumen Hemodialysis Catheter for High Volume Infusions

Contents:

- XXXXXXXXX

- All components are CE 2797 unless otherwise noted.

Rx	on	ly
----	----	----

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU Not made with natural rubber latex.

Fluid path components are non-pyrogenic

Contraindications: The large-bore two-lumen catheter is not designed for long-term (≥ 30 days) hemodialysis or for use in patients with thrombosed vessels.

Lumen	Priming Volume* (mL)	Flow Rate (mL/min)	Venous Pressure Setting†† (mmHg)
Distal (12 Ga.)	1.4	220	100
Proximal (12 Ga.)	1.3	370 220 370	200 100 200
		370	200

^{*} Priming volumes are approximate and are done without accessories





LOT Lot Number

√ YYYY-MM-DD





MYYYY-MM-DD





(17)YYMMDD (11)YYMMDD (10)Lot Number **EU** Authorized Importer:

Teleflex Medical IDA Business and Technology Park Dublin Road, Athlone Co. Westmeath, Ireland

All components are CE 2797 unless

Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA

Set Product of xxx Packaged in xxx


Neleflex® www.teleflex.com

LBL080024 R00 (2025-08) /



Two-Lumen Hemodialysis Catheter for High Volume Infusions





.035 inch dia. spring-wire guide

^{††} Blood flow rates are approximate and were determined by varying the venous pressure setting from 100 to 200 mmHg in an in vitro experiment using blood analog solution.