



REF **DLX-35541-HPKC** (IPNXXXXXX)

4 Fr. **1** Lumen **55** cm catheter length **.018** inch dia. spring-wire guide

ARROW®

Pressure Injectable One-Lumen PICC



Contents:

- | | |
|---|---|
| 1: One Lumen TaperFree® Catheter,†††: 4 Fr. (1.45 mm OD) x 55 cm, Pressure Injectable, Stiffening Stylet (0.36 mm dia. x 75 cm with straight distal tip) and T-Port Connector | 1: Patient ID Card |
| 1: GlideThru™ Peel-Away Sheath: 4 Fr. x 2-3/4" (7 cm) Radiopaque over 4 Fr. Dilator | 1: Patient Information Booklet |
| 1: Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - Straight Stiff Tip on Other) with Arrow Advancer | 1: Medication Label: 1% Lidocaine |
| 1: Injection Needle: Eclipse™1 25 Ga. x 1" (2.54 cm) | 2: Paper Tape Measure |
| 1: Safety Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW | 1: Tourniquet |
| 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) | 10: Gauze Pad: 2" x 2" (5 cm x 5 cm) |
| 1: Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW | 10: Gauze Pad: 4" x 4" (10 cm x 10 cm) |
| 1: Syringe: 5 mL Luer-Lock | 1: Surgical Apparel: Impervious Gown |
| 3: 10 mL Luer-Lock Pre-Filled Saline Syringe | 1: Dressing: Tegaderm®3 CHG 3-1/2" x 4-1/2" (8.5 cm x 11.5 cm) |
| 1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep | 1: Transducer Cover with Gel and Rubber Bands |
| 1: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®2 One-Step Solution | 1: Dressing: STATLOCK®4 PICC Plus Catheter Stabilization Device |
| 2: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®2 One-Step Solution with Hi-Lite Orange™ Tint | 1: Surgical Apparel: Bouffant Cap |
| 1: Dust Cap: Non-Vented | 1: Surgical Apparel: Mask |
| 1: SharpsAway® II Locking Disposal Cup | 1: Surgical Apparel: Mask with Eye Shield |
| 1: SharpsAway® Disposal Cup | 1: Tape: Steri-Strip®3 |
| 1: Catheter Trimmer | |
| 1: Towel: 24" x 36" (61 cm x 91 cm) | |
| 1: Maximal Barrier Drape™ with two 13 cm (5") x 15 cm (6") fenestrations | |
| 1: Safety Scalpel: #11 | |
| 1: Sterile Procedure Sign | |


***MR Safe

Not made with natural rubber latex.

Store between 20 – 25°C (68 – 77°F).

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Pressure Injectable PICC is contraindicated wherever there is presence of device related infections or presence of thrombosis in the intended insertion vessel or catheter pathway. Clinical assessment of the patient must be completed to ensure no contraindications exist.



Lumen

Priming
Volume*
(mL)

Gravity
Flow
Rate†
(mL/hr)

Pump
Flow Rate††
(mL/hr)

MAX Pressure
Injection
Flow Rate**
(mL/sec)

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	Pump Flow Rate†† (mL/hr)	MAX Pressure Injection Flow Rate** (mL/sec)
Pink (17 Ga.)	0.63	970	5300	5

* Priming volumes are approximate and are done without accessories.

† Flow rate values are approximate and are determined using deionized water at 100 cm head height.

†† Pump flow rates are determined at maximum pump pressure of 10 psig and represent approximate flow capabilities.

** Pressure injection flow rates are determined at the injector pressure setting of 300 psi maximum using media of 11.8 centipoise viscosity, with 152 cm pressure tubing.