

Pressure Injectable Three-Lumen Central Venous Catheterization Set with Blue FlexTip[®] Catheter

MAX 400 psi



inch dia. spring-wire guide

Contents:

- Three-Lumen Indwelling Catheter: 7 Fr. x 8" (20 cm) Pressure Injectable Radiopaque Polyurethane with Blue FlexTip®, Extension Line Clamps and Stylet
- 1: Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 23-5/8" (60 cm) (Angled Soft Tip on One End - Straight Stiff Tip on Other) with Arrow Advancer and hub
- 1: Catheter: 20 Ga. (0.84 mm) x 1-3/4" (4.45 cm) Radiopaque over 22 Ga. (0.72 mm) TW Introducer Needle
- 1: Introducer Needle: Echogenic 22 Ga. (0.72 mm) x 2-3/4" (7 cm) XTW


- 1: Introducer Needle: Echogenic 22 Ga. (0.72 mm) x 1-3/8" (3.5 cm) XTW
- 1: Syringe: 2 mL Luer-Slip
- 1: Tissue Dilator: 8 Fr. x 9.7 cm
- 3: Dust Cap: Non-Vented
- 1: SecondSite[™] Adjustable Hub: Fastener
- 1: SecondSite[™] Adjustable Hub: Catheter Clamp
- 2: Guidewire Introducer
- 1: Y-hub

.

3: Towel: 13" x 18" (33 cm x 46 cm)

Rx only. Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. Not made with natural rubber latex.

Fluid path components are non-pyrogenic.



Lumen	Priming Volume [*] (mL)	Flow Rate [†] (mL/hr)	MAX Pressure Injection Flow Rate [‡] (mL/sec)
Distal (16 Ga.)	0.44	3200	10
Medial (18 Ga.)	0.39	1500	5
Proximal (18 Ga.)	0.39	1600	5

* Priming volumes are approximate and are done without accessories.

[†] Based on 100 cm head height.

Pressure injection flow rates are determined using media of 11.8 centipoise viscosity, with 60" administration set tubing.



LOT

Ω













Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



SZ-15703-152B (09/19)



 REF
 MPH-15703-CA
 7^{Fr.} (2.4^{mm})

 Pressure Injectable Three-Lumen
 54 with Plus FlavTin[®] (2.4^{mm})

Central Venous Catheterization Set with Blue FlexTip[®] Catheter

) | 3 | 20 catheter length

cm

