

Vascular Access Product Catalog

Home / Sheath Introducer / CA-09803



Representative photo(s): actual product specifications may vary from that shown in the photo

PSI for use with 7 - 7.5 Fr. Catheters

PSI KIT: 8.5 FR

SKU / Article #: CA-09803

Considerations

Caution: This product contains dry natural rubber.

Sales Quantity/Case: 10

PSI for use with 7 - 7.5 Fr. Catheters SKU / Article #: CA-09803	
Quantity	Component Description
1	Arrow-Flex® Sheath: 8.5 Fr. (2.8 mm tip ID) x 10 cm and Tissue Dilator
1	Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
1	Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
1	Pressure Transduction Probe
1	Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
1	Injection Needle: 25 Ga. x 1" (2.54 cm) and 3 mL Luer-Lock Syringe
1	Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
1	Obturator: 8 Fr.
1	Cath-Gard [®] Catheter Contamination Shield: 80 cm with TwistLock [™] Adapter
1	Dust Cap: Non-Vented
1	SharpsAway [®] Disposal Cup
1	Drape: 24" x 36" (61 cm x 91 cm) with 4" (10 cm) fenestration
1	Drape: 24" x 36" (61 cm x 91 cm)
1	Scalpel: #11
1	Stopcock: 4-way High-Flow
2	Gauze Pad: 2" x 2" (5 cm x 5 cm)
5	Gauze Pad: 4" x 4" (10 cm x 10 cm)
1	Suture: 3-0 Braided Silk with Straight Needle

Documents





The products in this catalog may not be available in all countries. Please contact your local representative.

Indications, contraindications, warnings and instructions for use can be found in the Product Instructions for Use available under the Documents section on this page, where an IFU is available.

© 2025 Teleflex Incorporated. All Rights Reserved.