

## Vascular Access Product Catalog

Home / Sheath Introducer / CA-09903-LF



Representative photo(s): actual product specifications may vary from that shown in the photo

PSI for use with 7.5 - 8 Fr. Catheters

PSI KIT: 9 FR

SKU / Article #: CA-09903-LF

Considerations

Not made with natural rubber latex.

Sales Quantity/Case: 10

## PSI for use with 7.5 - 8 Fr. Catheters SKU / Article #: CA-09903-LF Quantity Component Description Arrow-Flex® Sheath: 9 Fr. (2.9 mm tip ID) x 10 cm and Tissue Dilator 1 1 Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) 1 Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle 1 Injection Needle: 25 Ga. x 1" (2.54 cm) and 3 mL Luer-Lock Syringe 1 Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe 1 Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Luer-Slip Syringe 1 Obturator: 8 Fr. Cath-Gard® Catheter Contamination Shield: 80 cm with TwistLock™ Adapter 1 1 Dust Cap: Non-Vented SharpsAway® Disposal Cup 1 Drape: 24" x 36" (61 cm x 91 cm) with 4" (10 cm) fenestration 1 1 Scalpel: #11 1 Stopcock: 4-way High-Flow 2 Gauze Pad: 2" x 2" (5 cm x 5 cm) 5 Gauze Pad: 4" x 4" (10 cm x 10 cm) 1 Suture: 3-0 Braided Silk with Straight Needle

## **Documents**









The products in this catalog may not be available in all countries. Please contact your local representative.

Indications, contraindications, warnings and instructions for use can be found in the Product Instructions for Use available under the Documents section on this page, where an IFU is available.

© 2025 Teleflex Incorporated. All Rights Reserved.