Vascular Access Product Catalog

**Neleflex**®





Representative photo(s): actual product specifications may vary from that shown in the photo Home / Central Venous Catheter / ES-04701

## One-Lumen CVC

#### CVC SET: 14 GA X 8IN (20 CM)

SKU / Article #: ES-04701

### Highlights

CE Mark

#### Considerations

Not made with natural rubber latex.

## Sales Quantity/Case: 10

	nen CVC rticle #: ES-04701				
Quantity	Component Description				
1	One-Lumen Catheter: 14 Ga. (2.2 mm OD) x 20 cm, Side Holes				
1	Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer				
1	Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW				
1	Pressure Transduction Probe				
1	Arrow <sup>®</sup> Raulerson Spring-Wire Introduction Syringe: 5 mL				
1	Tissue Dilator: 7 Fr. (2.3 mm) x 10.2 cm				
1	SecondSite <sup>™</sup> Adjustable Hub: Fastener				
1	SecondSite <sup>™</sup> Adjustable Hub: Catheter Clamp				

# Documents

0	ARROW.	ø	ARROW	14° 1° 20 .032
Central Venous Cath Rx only.	b. In structure has administrative contrasts of	Central Venous Cath Rx ash: https://www.	A fit of an anomality and the bolt the bolt and the second	Control II     Control Lange Collection (20 - 100
No hard and a second spectra of the	<ul> <li>approximation for accurate composition of anomposition for an experimental accurate composition of accurate processing of a second processing of a</li></ul>	A second of a second se	<ul> <li>Note allow a deficit to history and approximation in historical constraints of the second second second second second second and second</li></ul>	
In other part on a the encoded and an encoded and and an encoded and and an encoded and and and an encoded and and and and and and and and and an	Source developmentant et advectional housing. Source advector advector advector advector advector advector advector advector advector advector advector advector to the advector advector advector advector advector advector advector advector advector advector advector backness advector advector advector advector advector advector advector advector advector advector advector advector advector advector devector advector advector advector advector devector advector advector advector devector advector advector advector devector advector advector devector advector advector devector advector advector devector advector advector devector advector devec	The definition of the second s	Source only a subsection data strategies the basis is started Res collections used for a strategies the basis is started userpaid, collemptrications is strategies the parameters start. The other spectra data strategies are parameters strategies and the data strategies are parameters basis and the strategies are parameters basis and the strategies are parameters basis and the strategies are parameters strategies and the strategies are parameters strategies and the strategies are parameters strategies are parameters strategies and the strategies are parameters strategies	
<ul> <li>d) General Washings and Prostantism</li> <li>Evening:</li> <li>Series (and series on the original problem of the series o</li></ul>	A - Section	Accord Results for a fractación     Exemp     Energi     In long, lingita con El con consu quertes en entendía     financia consegura esta constante entendía     financia consegura esta consegura esta constante     financia consegura esta consegura esta consegura     ana de actores consegura esta consegura esta consegura esta     ana de actores consegurar esta consegura esta c	Band Market Street	
<ul> <li>and a control spice panel is small added structures and spice and the control spice panel spice and the control spice a</li></ul>	Provident: IN 1013 that the isochology particular to any other between the entropy the entropy of the entropy of the entropy isochology and the entropy of the entropy of the particular dependence of the entropy of the entropy of the angle and the entropy of the entropy of the entropy of the entropy of the entropy of the entropy	<ul> <li>Under an object wird beite specified of the second s</li></ul>	Freedawin In End all and the underse, particular or any shell betted to experimental end protection. In End and the Underse of the Underse and particular particular betteres; who have particular particular particular betteres; who have particular particular particular betteres and the Underse of the Underse information of the Underse of the Underse of the Under information of the Underse of the Underse of the Under Information of the Underse of the Underse of the Under Information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse information of the Underse of the Underse of the Underse of the Underse information of the Underse	Entered Control Contro

The products in this catalog may not be available in all countries. Please contact your local representative.	
Indications, contraindications, warnings and instructions for use can be found in the Product Instructions for Use available under the Documents section on this page, where an IFU is available.	

© 2025 Teleflex Incorporated. All Rights Reserved.