Vascular Access Product Catalog

Neleflex®





Representative photo(s): actual product specifications may vary from that shown in the photo

Home / Central Venous Catheter / EU-04306-N

One-Lumen CVC

CVC SET: 16 GA X 16 CM

SKU / Article #: EU-04306-N

Highlights

CE Mark

Considerations

Not made with natural rubber latex.

Sales Quantity/Case: 5

One-Lumen CVC SKU / Article #: EU-04306-N				
Quantity	Component Description			
1	One-Lumen Catheter: 16 Ga. (1.8 mm OD) x 16 cm			
1	Spring-Wire Guide, Nitinol, Marked: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer			
1	Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW			
1	Syringe: 5 mL Luer-Slip			
1	Tissue Dilator: 7 Fr. (2.3 mm) x 10.2 cm			
1	SecondSite [™] Adjustable Hub: Fastener			
1	SecondSite [™] Adjustable Hub: Catheter Clamp			

Documents

0	ARROW.	œ	ARROW	16° 1° 16° .032
Central Venous Cath	eter (CVC) Product	Central Venous Cath	eter (CVC) Product	Control Contro Control Control Control Control Control Co
Rx eely. Model Toppe To social sector and the sector and the sector and the the sector these constraining and protocological and the term of these constrained and the sector. This could need a sector Topped and the Dec	5. No tet un accounte fonte utilizationalemp quantante en diseactificate au value antinati en unautoportunamie debatings accompanies diseases. En des capital fones sus raison de la capital de la capital de la capital de la capital actuarda de la capital de la capital de la capital de la capital actuarda de la capital de la capital de la capital de la capital actuarda de la capital de la capital de la capital de la capital actuarda de la capital de la capital de la capital de la capital actuarda de la capital de la capital de la capital de la capital actuarda de la capital de la ca	Rx and y. Hendel Prepare In the second set of the second set of the second second set of the second secon	 The end are accesses frees when introducing partness or share allow a discust lack or participant formation or associated dimage. Proving of galaxies have the stips frain care care of early of the standard lack that share have been of early of the standard lack of the standard lack of of early of the standard lack of the standard lack of the standard lack of the standard lack of the standard of early of the standard lack	Example Control (Control (Contro) (Control (Contro) (Control (Contro) (Control (Contro) (Contro))
el conte en conservances contexes co	w public shares in the source is to many our experiment dramping the shares of the source is to source and the source is an experiment of the source of the source is the source of t	identification production identification productions identification productions identification identificat	iii) paintine lacence trains and an experiment image on fact days. Observations of an observation of an experi- sion of a start of the second second second second and an experimental of the second second second second and second second second second second second and seco	
Texanetral parts altra spin encourses. Texanet Resolver Schelerses: Instruments Resolver Schelerses: Instruments Resolver and Schelerses: Schelerses and Schelerses and Schelerses Schelerses and Schelerses Schelerses and Schelerses Schelerses and Schelerses Schelerses and Schelerses Schelerses and Schelerses Schel	constructions between the R. Mor Maria and Ladinics of analysis: including collection of send in constructions dis. Use and manufa (alternative laser lab) constructions and the send in construction of the send in the advantance/discussion of an advance in the send in the advance in the sense of a majorization of the send in the advance in the sense of a majorization of the send in the advance in the sense of a majorization of the send in the advance in the sense of a majorization of the send in the send advance in the sense of a majorization of the send in the send in the advance in the sense of a majorization of the send in the send advance in the sense of the send in the send intervent in the advance in the sense of the send intervent intervent intervent in the advance in the sense of the send intervent	The second secon	In motion access devices years, to be infrare upper a subtract or surranged and devices advectors in the subtract paper against effects of the subtract advector in the subtract paper against subtract advectors advectors advectors advectors advectors induced and subtractions. Notice advectors advectors advector advector advector advector advectors induced advectors a	
A. General Burnings and Pressections: Terrings: I heads length out for and seven, represent or meteridate, based of descent orders in produce theory meters and/or produce series in a seven to meter. Representation of meters reference which are burn to meter for produce theory and/or produce series in the seven to meter for produce theory.	vede network	Constit Burnings and Proceedings Environment Envi	Londox Serveraile Londox Serverail Lon	O w H an
Important/purchases as what of horizontally. Then of all patients prover survival, a presention with Environment of the second state to do its manual to source patient pages you want. In the place substance substant pages and the second as place substance substant pages and the second second and page states are proved to a place of the same as of the place substance substant pages and the second second and the place substants substant pages and the same as able substant of an appropriate state. The same page of the place substants substant and and and and and and and second parameters.	Accordance A	 Most of an adapt time to an eventy in momentum and beam of the start o	expension endowner	The section of the se
Caliform dig Statistics disabili for cambined assuming an information physical and and an experiment of the physical and an experiment of the statistical and optime. It is assumed on the experiment fact a caloridation optime is the statistical physical fact and a statistic statistical and a statistical physical fact a caloridation optime is the statistical and a physical fact a caloridation optime is an experiment of the states and a statistic statistical and a statistical physical fact and a state of the statistical and a statistical physical fact and a state of the statistical physical and a statistical physical fact and a statistical physical states and a state of the state of the states of	 comparatively previous our serverses? Devasion must be adversed by tables executed well as a subsected the behavior, stric tablespare and parental single-serverses. thereases are previous and tables to instruction predicts the distructions and tablespare of distruct and the serverse and tablespare. 	Calcure of a location donait for sendemond assembly we include address of the sendemonders. We describe the sendemonder of the sendemond of the spinteents by any sendemond the data particle is includent spine in the sendemonder of ad particle is in includent spine inspine, a strategies provide the data of sendemonder spine inspine, and the sendemonder of the data of sendemonder spine inspine, and the sendemonder of the data of sendemonder spine inspine.	 manpatiet belagiserties, as removed. Freedor man beginned to based amount of source is anti-and hadrest, oth tochnige and patients august demo. Granisational-manufacture and Microsoftanian for approximation and patients. 	

The products in this catalog may not be available in all countries. Please contact your local representative. Indications, contraindications, warnings and instructions for use can be found in the Product Instructions for Use available under the Documents section on this page, where an IFU is available.

© 2025 Teleflex Incorporated. All Rights Reserved.