

Pressure Injectable Three-Lumen PICC pre-loaded with Arrow® VPS TipTracker™ Stylet

PI PICC SET 3L 6FR 55CM TIPTRACKER

SKU / Article #: PR-35563-TTS

Highlights

Sharps Safety
CE Mark
Pre-loaded with VPS Stylet

Considerations

Not made with natural rubber latex.

Sales Quantity/Case: 5

NO IMAGE
AVAILABLE







*Representative photo(s): actual product
specifications may vary from that shown in the
photo*

Pressure Injectable Three-Lumen PICC pre-loaded with Arrow® VPS TipTracker™ Stylet
 SKU / Article #: PR-35563-TTS

Quantity	Component Description
1	Three Lumen TaperFree® Catheter: 6 Fr. (2.14 mm OD) x 55 cm, Pressure Injectable, Blue FlexTip®, Contamination Guard, Arrow® VPS TipTracker™ Stylet and T-Port Connector
1	GlideThru™ Peel-Away Sheath: 6 Fr. x 2-3/4" (7 cm) Radiopaque over 6 Fr. Dilator
1	Placement Wire Assembly
1	Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - Straight Stiff Tip on Other) with Arrow Advancer
1	Safety Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW
1	Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW
1	Syringe: 10 mL Luer-Lock
3	Dust Cap: Non-Vented
1	SecondSite™ Adjustable Hub: Fastener
1	SecondSite™ Adjustable Hub: Catheter Clamp
1	SharpsAway® II Locking Disposal Cup
1	SharpsAway® Disposal Cup
1	Catheter Trimmer
1	Safety Scalpel: #11
1	Patient ID Card
1	Patient Information Booklet
2	Paper Tape Measure
1	Tourniquet
1	Foam Electrodes (3 per pack)
1	Dressing: STATLOCK® ¹ Catheter Stabilization Device
1	Equipment Cover: 13 cm x 244 cm (5" x 96")
1	T-Piece Cover

¹ A registered trademark of C. R. Bard, Inc.

Documents



SCROLL TO VIEW MORE →

The products in this catalog may not be available in all countries. Please contact your local representative.

Indications, contraindications, warnings and instructions for use can be found in the Product Instructions for Use available under the Documents section on this page, where an IFU is available.