Vascular Access Product Catalog

Jeleflex®



Home / Arterial / RA-04020-SP



Representative photo(s): actual product specifications may vary from that shown in the

Radial Artery Catheterization with Integral Needle Protection

RA CATH SET: 20 GA X 1-3/4IN

SKU / Article #: RA-04020-SP

Considerations

Not made with natural rubber latex.

Sales Quantity/Case: 50

 Radial Artery Catheterization with Integral Needle Protection

 SKU / Article #: RA-04020-SP

 Quantity
 Component Description

 1
 Catheter: 20 Ga. x 4.45 cm Radiopaque Polyurethane over 22 Ga. TW Needle with Integral .018" (0.46 mm) dia. Spring-Wire Guide

Documents

photo

•	ARROW		
Arterial Catheterization Needle Protection For short term ass (<30 days)	Product with Integral	MON 4.30.25.6 Years	
Receip.			
Implements process against a design. Indications for Dor Normal Attack destinations produces to be populated and modules a the anti-south fraction from an enclosed of a populated and and the foreign and an application.	Chinistensmont for annual of simplications' and values and a simplications' and values and a simplications' and values and a simplications is a constantion constant and performance is all constantions constants constants constants		
Cardinal de Cardinales Non Roca Cinical de martín por la Cagacitant Noncembra por por por construction de cardo de Roca Noncembra por por construction de cardo de cardo de cardo de constru- ción de cardo de cardo de cardo de cardo de cardo de construction de construction de construction de construction de cardo de cardo de cardo de cardo de cardo de construction d	constantion	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	
Race of dones could a priority of some space	President 5. In our date the contrast partners, or any other better important date partners, or a restruct, b models are used partners by a contrast, and partner date and a second partners by a contrast partner date and a second partners, b models are an	Harmon Market (1997) - Market (1997) - Market (1997) Harmon Market (1997) - Market (1997) - Market (1997) Harmon Market (1997) - Market (1997)	
 Red of pology interl sciency, projection; and inclusion-pole to an Alars index range and increase polest (pay wheth.) So manuage the stat. of an anti-data and front for manufacture (d) documents or end-manufacture (particular index resources. 	C) lone displaying used in subtract involves to ensure relative shift on a wake the software relative information persons and advantages about care makers for deviation of advantages relative. The software information for advantages and the software information and data of the software information advantages and the ophene software.	Martin Andreas	
 Maximum and a second term another parameter, and the data interactive defining our most in terms mercin. Insulid anti-presentant, parallelenes mechanistic data definite address of influence balances. 	 doubt is shard as understand and a substant and a substantian and a substantian and a substantian substantian and a substantian substantian. A Mare assumes also for all y-sampleneity parts for supplying dimension. 	Harden Anna Anna Anna Anna Anna Anna Anna An	
b. Nakhattal Andraines (of design on therappendix in permission papeline-basis and and an anomalia in a some patient in papeline-basis and and an anomalia in the second papeline- paper advanta. (In Second et al. default for basis panelses paper anomalia in the second et al. (In	 Matching scheme Andrehensschule (angesten bei derakter persons society) of density, andproxide weight also. NANS Reg. (all, anness all ansatz), angestent anderal a forezisse-annexistati and annexity. Angestent anderal a forezisse-annexistati and, Annexit Castlan and, Marchael Annexitati de parabolis. 	<u>М</u>	
B scientifies with CDCOMF clientwith the Bourborn pathogen, other stating or nativitating any 37 selection, to minimize devide of registeries to contain an even black it induces and south any attribution respective, the reacht sp with college sciences.	Indetext INDEXCIDE Compared Researcher dur nucleonen Proper de Institue - Statut discussificant Institutions - Statut di Institutions - Statut discussificant Institutions - Statu		

The products in this catalog may not be available in all countries. Please contact your local representative.

Indications, contraindications, warnings and instructions for use can be found in the Product Instructions for Use available under the Documents section on this page, where an IFU is available.