The Flex® Vascular Access Product Catalog



Home / Accessory / RW-04018



Representative photo(s): actual product specifications may vary from that shown in the photo

Positive Placement Spring-Wire Guide AV SWG COMPONENT: .018" DIA

SKU / Article #: RW-04018

Highlights

CE Mark

Considerations

Not made with natural rubber latex.

Sales Quantity/Case: 25

	Placement Spring-Wire Guide rticle #: RW-04018		
Quantity	Quantity Component Description		
1	Spring-Wire Guide/Tube Assembly: .018" (0.46 mm) dia. x 5-3/8" (14 cm) (Straight Soft Distal End)		

Documents

			ø	ARROW
	a	107010-003	Positive Placement S	pring-Wire Guide
Mano- Come	- 5		Rx andy Intended Parpare Visitive Equations	k Provider must be performed in trained personal we would be antioned bedreach, and inclusive performance performance and Ministerio Interformed performance 1. The data despectations and Ministerio Interformed performance
	<u>د</u>		Extended water for an extent in the set of the determinant Extension for the set of the	dispensional in the second secon
HE DALLES IN	5		Performance-Characteristics: A solare billinge service and point spins a pair for orders in the solare service transmission bulbraces	 Steers provide that the order of againstic has also and the using size publication of andie size analysis between any probability. Although the size and analysis although the paperties when its built any is although. Steer Steers and any is although a strength and a strength and paperties when its built any is although.
~±₩0.00 ⊂00×	¢ŝ	1007000-00-0	Conservers mandmanner ann Statistics from an United P 371 metric is major of host (CS + 7 Metric 4 sets) is downtowed a company 18 URL floating-and a set (SM + et al.) and a set (SM + SM	 Patter and sing a services, and the service has based online. In mathing the control of the service of the service of the service of the service of the service of the service of the service of the service of the Service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the servic
- Тщоло Офи налитика Билин 25	Ξ cg	30294030-002-0	A Consort Durating and Productive Residue - Invite Induction for the new spacetime or consultant to invite Induction and the state of the Induction target and a statement with any state of the Induction target model a dealers makes the angle of the Induction of the Induction Induction of the angle of the Induction of the Induction	- E
 →	ā ce	1079070-001-0	2. Incl. of gradger least vention, proceedings with http://www.arc.incl.eng.com/or and http://www.arc.incl.eng.com/or particle/proceedings/arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/or www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.com/orpa/ http://www.arc.incl.eng.com/orpa/http://www.arc.incl.eng.c	And the second s
315	8		ad balad by visual party supplements suppleme	Alterna transformation program and an approximate and an annual transformation and an approximate and an approximate and an approximate and an approximation and approximate and approxim
⊂®×	¢ŝ	10,774,781,021.0	Prezudienc: 1. Do not alter the quing uter pairs during investion, unit at mental	Restlection pair entriplement Altropies in an interconder on advantation of all other dense

The products in this catalog may not be available in all countries. Please contact your local representative.

Indications, contraindications, warnings and instructions for use can be found in the Product Instructions for Use available under the Documents section on this page, where an IFU is available.

© 2025 Teleflex Incorporated. All Rights Reserved.