



Two-Lumen Hemodialysis Catheterization Kit for High Volume Infusions

REF AK-15122-JF

 $12^{\,\text{Fr.}}\, 2^{\,\text{Lumen}}\, 20^{\,\text{cm}}_{\,\text{length}}\, \text{l.}035^{\,\text{inch dia.}}_{\,\text{spring-wire guide}}$

Contents: _

- Two-Lumen Indwelling Catheter: 12 Fr. x 20 cm Radiopaque Polyurethane with Blue FlexTip®, Extension Line Clamps
- Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 26-3/4" (68 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
- Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer
- Injection Needle: 22 Ga. x 1-1/2" (3.81 cm)
- Pressure Transduction Probe
- Injection Needle: 25 Ga. x 1" (2.54 cm) and 3 mL Luer-Lock Syringe
- Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- Syringe: 5 mL Luer-Slip
- Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm

- Dust Cap: Non-Vented
- SharpsAway® Disposal Cup
- Drape: 24" x 30" (61 cm x 76 cm) with 4" (10 cm) fenestration, with adhesive
- Prep Sponge Swab
- Dressing: Tegaderm ^{©1} 4" x 4-3/4" (10 cm x 12 cm)
- Gauze Pad: 2" x 2" (5 cm x 5 cm)
- Gauze Pad: 4" x 4" (10 cm x 10 cm)
- Suture: 3-0 Braided Silk with Straight Needle

¹A registered trademark of 3M Company.




















Rx only. Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.

Contraindications: The large-bore two-lumen catheter is not designed for long-term hemodialysis or for use in patients with thrombosed vessels.



Catheter Cross Section

Lumen	Priming Volume* (mL)	Flow Rate† (mL/min)	Venous Pressure Setting (mmHg)
Distal (12 Ga.)	1.60	200	100
		340	200
Proximal (12 Ga.)	1.50	200	100
		340	200

 Priming volumes are approximate and are done without accessories.
Blood flow rates are approximate and were determined by varying the venous pressure setting from 100 to 200 mmHg in an in vitro experiment using blood analog solution.

Manufacturer: Arrow International, Inc. Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



IK-15122-102F (6/17)





